

# Armadi refrigerati statici

- IT** Armadi refrigerati con refrigerazione statica. Struttura esterna in lamiera verniciata epossidica bianca o in acciaio inox AISI 430 - interno ABS - refrigerazione statica con ventilatore interno per uniformare la temperatura - pannelli esterni di fondo e retro in lamiera zincata.
- FR** Armoires réfrigérées avec réfrigération statique. Corps extérieur en tôle peinte en époxy blanc or in acier inox AISI 430 - intérieur en ABS - réfrigération statique avec ventilateur interne pour égaliser la température - fonds et dos extérieurs en tôle galvanisée.
- EN** Refrigerated cabinets with static refrigeration. External casing in white epoxy painted plate or in stainless steel AISI 430 - static refrigeration with internal fan to balance the temperature - external back and bottom panels in galvanized plate.
- ES** Armarios refrigerados con refrigeración estática. Carcasa externa en chapa pintada de resina epoxi blanca, interior en ABS - refrigeración estática con ventilador interno para equilibrar la temperatura - paneles posterior e inferior exteriores en chapa galvanizada.

Optional	<p><b>GRP200</b> 505x225 mm (mod. ER 200/400)</p> <p>Griglia plastificata piccola Small plastic coated grid Grille plastifiée petite Pequeña rejilla plastificada</p>	<p><b>GRP400</b> 505x415 mm (mod. ER 600)</p> <p>Griglia plastificata grande Big plastic coated grid Grille plastifiée grande Rejilla grande plastificada</p>	<p><b>GRP600</b> 650x520 mm (mod. ER 600)</p> <p>Griglia plastificata Plastic coated grid Grille plastifiée Par de guías para Rejilla</p>
	<p><b>GRP600P</b> 650x290 mm (mod. ER 600)</p> <p>Griglia plastificata piccola Small plastic coated grid Grille plastifiée petite Pequeña rejilla plastificada</p>	<p><b>CG500</b> (mod. ER 500P)</p> <p>Coppia guide per teglia Pair of slides for pans Paire de glissières pour plaques Par de guías para sartén</p>	<p><b>GRI64</b> 600x400 mm (mod. ER 500P)</p> <p>Griglia inox Stainless steel grid Grille acier inox Parrilla de acero inoxidable</p>

# G-ER200 - G-EF200



	G-ER200	G-EF200
	+2°C / +8°C	-18°C / -22°C
	600 x 585 x 855(h) mm	600 x 585 x 855(h) mm
	510 x 485 x 620(h) mm	510 x 485 x 620(h) mm
	130 L	120 L
	+32°C / 55%HR	+32°C / 55%HR
	evaporatore a piastra plate evaporator	evaporatore a ripiani shelves evaporator
<b>DEFROST</b>	a sosta / off cycle defrost	manuale / manual
<b>GAS</b>	R600a	R600a
	automatica / automatic	automatica / automatic
	termostato / thermostat	termostato / thermostat
<b>CONTROL</b>		
	40 mm	60 mm
	100 W	105 W
	230V / 50Hz	230V / 50Hz
<b>MATERIAL</b>	lamiera verniciata - ABS painted tin plate - ABS	lamiera verniciata - ABS painted tin plate - ABS
	si / yes	si / yes
	no	no
<b>STANDARD</b>	2 griglie / grids 500 x 415 mm + 1 griglia / grid 500 x 211 mm	2 ripiani fissi / fixed shelves 480 x 440 x 210(h) mm
<b>ENERGY CLASS</b>	<b>A</b>	<b>A</b>
	45 Kg	45 Kg
	56 Kg	57 Kg
	680 x 650 x 1160(h) mm	680 x 650 x 1160(h) mm

## Eco Line

Armadi refrigerati - statici / Refrigerated cabinets - static  
Armoires réfrigérées - statiques / Armarios refrigerados - estáticos

## G-ER200G



## G-EF200G



	G-ER200G	G-EF200G
	+2°C / +8°C	-18°C / -22°C
	600 x 585 x 855(h) mm	600 x 600 x 855(h) mm
	510 x 485 x 620(h) mm	480 x 440 x 620(h) mm
	130 L	130 L
	+32°C / 55%HR	+32°C / 55%HR
	evaporatore a piastra plate evaporator	evaporatore a ripiani shelves evaporator
<b>DEFROST</b>	a sosta / off cycle defrost	manuale / manual
<b>GAS</b>	R600a	R290
	automatica / automatic	automatica / automatic
	termostato / thermostat	termostato / thermostat
<b>CONTROL</b>		
	40 mm	40 mm
	105 W	270 W
	230V / 50Hz	230V / 50Hz
<b>MATERIAL</b>	lamiera verniciata - ABS + vetrocamera painted tin plate - ABS + insulating glass	lamiera verniciata - ABS + vetrocamera con resistenza painted tin plate - ABS + insulating glass and heating element
<b>REVERSIBLE</b>	si / yes	si / yes
	led	led
<b>STANDARD</b>	2 griglie / grids 500 x 415 mm + 1 griglia / grid 500 x 211 mm	2 ripiani fissi / fixed shelves 480 x 440 x 160(h) mm
	44 Kg	45Kg
	56 Kg	57 Kg
	680 x 650 x 1160(h) mm	680 x 650 x 1160(h) mm

## Eco Line

Armadi refrigerati - statici / Refrigerated cabinets - static  
Armoires réfrigérées - statiques / Armarios refrigerados - estáticos

# G-ER200SS - G-EF200SS









	G-ER200SS	G-EF200SS
	+2°C / +8°C	-18°C / -22°C
	600 x 585 x 855(h) mm	600 x 585 x 855(h) mm
	510 x 485 x 620(h) mm	510 x 485 x 620(h) mm
	130 L	120 L
	+32°C / 55%HR	+32°C / 55%HR
	evaporatore a piastra plate evaporator	evaporatore a ripiani shelves evaporator
<b>DEFROST</b>	a sosta / off cycle defrost	manuale / manual
<b>GAS</b>	R600a	R600a
	automatica / automatic	manuale / manual
	termostato / thermostat	termostato / thermostat
<b>CONTROL</b>	40 mm	60 mm
	100 W	105 W
	230V / 50Hz	230V / 50Hz
<b>MATERIAL</b>	acciaio Inox <b>AISI 430</b> - ABS stainless steel <b>AISI 430</b> - ABS	acciaio Inox <b>AISI 430</b> - ABS stainless steel <b>AISI 430</b> - ABS
	si / yes	si / yes
	no	no
<b>STANDARD</b>	2 griglie / grids 500 x 415 mm + 1 griglia / grid 500 x 211 mm	n.2 ripiani fissi / fixed shelves 480 x 440 x 160(h) mm
<b>ENERGY CLASS</b>	<b>A</b>	<b>A</b>
	44 Kg	45 Kg
	56 Kg	57 Kg
	680 x 650 x 1160(h) mm	680 x 650 x 1160(h) mm

## G-ER200GSS



## G-EF200GSS



	G-ER200GSS	G-EF200GSS
		
	+2°C / +8°C	-18°C / -22°C
	600 x 585 x 855(h) mm	600 x 585 x 855(h) mm
	510 x 485 x 620(h) mm	510 x 485 x 620(h) mm
	130 L	130 L
	+32°C / 55%HR	+32°C / 55%HR
	evaporatore a piastra plate evaporator	evaporatore a ripiani shelves evaporator
<b>DEFROST</b>	a sosta / off cycle defrost	manuale / manual
<b>GAS</b>	R600a	R290
	automatica / automatic	manuale / manual
	termostato / thermostat	termostato / thermostat
<b>CONTROL</b>		
	40 mm	40 mm
	105 W	270 W
	230V / 50Hz	230V / 50Hz
	1 Ph	
<b>MATERIAL</b>	acciaio Inox <b>AISI 430</b> ABS - vetrocamera stainless steel <b>AISI 430</b> ABS - insulating glass	acciaio Inox <b>AISI 430</b> ABS - vetrocamera con resistenza stainless steel <b>AISI 430</b> ABS - insulating glass and heating element
	si / yes	no
<b>REVERSIBLE</b>		
	led	led
<b>STANDARD</b>		
	2 griglie / grids 500 x 415 mm + 1 griglia / grid 500 x 211 mm	2 ripiani fissi / fixed shelves 480 x 440 x 160(h) mm
	44 Kg	45 Kg
	56 Kg	57 Kg
	680 x 650 x 1160(h) mm	680 x 650 x 1160(h) mm